

Signal Processing Communications Products Cross Reference

COMPETITOR PART NUMBER	HARRIS CLOSEST PART NUMBER	PIN FOR PIN REPLACEMENT †
AD770	HI3026A	H
AD775	HI1175	P
AD8001	HFA1100	P
AD870	HI5808	H
AD871	HI5805	H
AD872	HI5808	H
AD875	HI5710	H
AD876	HI5710	H
AD876-8	HI1175	H
AD878	HI5905	H
AD9002AD	HI3026	H
AD9012AQ	HI3026	H
AD9028KE	HI1166	H
AD9040A	HI5767/4	H
AD9048JQ	HI5667/6	H
AD9049	HI5767/4	H
AD9050	HI5767	H
AD9051	HI5767/6	H
AD9054	HI3026A	H
AD9057	HI5667	H
AD9058	HI5662/6	H
AD9059	HI5662/6	H
AD9060	HI5767/6	H
AD9070	HI5767/6	H
AD9071	HI5767/6	H
AD9200	HI5767/2	H
AD9201	HI5762	H
AD9202	HI5767/4CB	H
AD9220AR	HI5808	H
AD9221AR	HI5805	H
AD9223AR	HI5805	H
AD9240	HI5905	H
AD9241	HI5905	H
AD9243	HI5905	H
AD9280	HI1179	H
AD9281	HI5662/6	H
AD9283	HI5667/8	H

Signal Processing Communications Products Cross Reference (Continued)

COMPETITOR PART NUMBER	HARRIS CLOSEST PART NUMBER	PIN FOR PIN REPLACEMENT †
AD9483	HI5630	H
AD9620	HFA1110	H
AD9621	HFA1100	H
AD9622	HFA1100	H
AD9623	HFA1100	H
AD9624	HFA1100	H
AD9630	HFA1110	H
AD9708	HI5660	P
AD9713	HI5731	H
AD9721	HI5721	P
AD9731	HI5721	P
AD9732	HI5721	P
AD9760	HI5760	P
AD9761	HI5728	H
AD9762	HI5860	P
AD9763	HI5728	H
AD9764	HI5960	P
AD9853	HI5760	H
ADC-317	HI1396	P
ADC0881	HI1175	H
ADC0882	HI1175	H
ADC10321	HI5767/2	H
ADC1175	HI1175	P
ADC12081	HI5805	H
ADC12181	HI5808	H
ADC12762	HI5805	H
ADC14061	HI5905	H
ADC14161	HI5905	H
ADS-117	HI5805	H
ADS-118	HI5805	H
ADS-119	HI5808	H
ADS-233	HI5800	P
ADS-917	HI5905	H
ADS-929	HI5905	H
ADS-943	HI5905	H
ADS-944/883	HI5905	H
ADS-945	HI5905	H

Cross Reference Guide

Signal Processing Communications Products Cross Reference (Continued)

COMPETITOR PART NUMBER	HARRIS CLOSEST PART NUMBER	PIN FOR PIN REPLACEMENT †
ADS-946	HI5905	H
ADS-947	HI5905	H
ADS603	HI5808	H
ADS605	HI5808	H
ADS802	HI5808	H
ADS803E	HI5805	H
ADS804E	HI5808	H
ADS820	HI5767/2	H
ADS821U	HI5767/4	H
ADS822	HI5767/4	H
ADS823	HI5767/6	H
ADS824	HI5767/6	H
ADS830	HI5667/6	H
ADS831	HI5667/8	H
ADS900	HI5767/2	H
ADS901	HI5767/2	H
ADS902	HI5767/4	H
ADS930	HI1179	H
ADS931	HI1179	H
ADV7120	HI1178	H
ADV7121	HI3050	H
ADV7128	HI5760	H
AH8308T	HI5660	H
AK5482	HI5767/2	H
CA3046	CA3045	P
CA3046	CA3046	P
CA3046	CA3086	P
CA3146	CA3146	P
CH8438A	HI1178	H
CIC52028	HI1175	H
CLC109	HFA1110	H
CLC110	HFA1110	H
CLC111	HFA1110	H
CLC401	HFA1100	H
CLC402	HFA1100	H
CLC404	HFA1100	H
CLC406	HFA1100	H
CLC409	HFA1100	H
CLC425	HFA1100	H
CLC446	HFA1100	P

Signal Processing Communications Products Cross Reference (Continued)

COMPETITOR PART NUMBER	HARRIS CLOSEST PART NUMBER	PIN FOR PIN REPLACEMENT †
CLC449	HFA1100	P
CLC501	HFA1130	H
CLC502	HFA1130	H
CLC925B	HI5808	H
CLC935B	HI5808	H
CLC945	HI5805	H
CLC946	HI5805	H
CX20201A	HI20201	H
CX20201A-1	HI20201	P
CX20201A-3	HI20203	P
CX20202A	HI20201	H
CX20202A-1	HI20201	P
CX20202A-3	HI20203	P
CXA1166	HI1166	P
CXA3026A	HI3026A	P
CXA3086	HI3086	P
CXD1170M	HI1171	P
CXD1171M	HI1171	P
CXD1172	HI1172	P
CXD1175	HI1175	P
CXD1175	HI1175	P
CXD1176	HI1176	P
CXD1177	HI1177	P
CXD1178	HI1178	P
CXD1179	HI1179	P
CXD2302	HI2302	P
CXD2306	HI5780	H
CXD2306Q	HI5780	P
CXD2308Q	HI3050	P
CXD2310	HI5710	H
CXD2310A	HI5710A	P
CXD2315Q	HI2315JCQ	P
EL2072	HFA1110	H
EL2171	HFA1100	H
HD49315	HI5710A	H
HDAC10180	HI5760	H
KT8592	CD22100	P
LM3045	CA3045	H
LM3046	CA3046	H
LM3086	CA3086	H

Cross Reference Guide

Signal Processing Communications Products Cross Reference (Continued)

COMPETITOR PART NUMBER	HARRIS CLOSEST PART NUMBER	PIN FOR PIN REPLACEMENT †
LM3146	CA3146	P
LTC1406	HI1175	H
LTC1410	HI5805	H
LTC1412	HI5805	H
LTC1415	HI5805	H
MAX100	HI1166	H
MAX101	HI1276	H
MAX1114	HI3026A	H
MAX1125	HI1166	H
MAX1150	HI1276	H
MAX1151	HI1276	H
MAX1160	HI5767/2	H
MAX1161	HI5767/4	H
MAX1170	HI5808	H
MAX1201	HI5905	H
MAX1205	HI5905	H
MAX1241	HI5805	H
MAX405	HFA1110	H
MAX5012	HI5721	H
MAX5013	HI5721	H
MAX5018	HI20203	H
MAX5140	HI20203	H
MB40528	HI5667/6	H
MB40558P	HI5667/6	H
MB40568P	HI1179	H
MB40576	HI1172	H
MB40578	HI1175	H
MB40730P	HI5660/6	H
MB40760	HI5660/6	H
MB40778	HI3338	H
MB40968	HI5628/6	H
MB86029	HI1178	H
MC3346	CA3046	P
MN5430	HI5905	H
MN5902	HI1175	H
MN5909	HI3086	H
MN5915	HI5767/2	H
MN5916	HI5767/4	H
MN5917	HI5767/4	H
MN5920	HI3026A	H

Signal Processing Communications Products Cross Reference (Continued)

COMPETITOR PART NUMBER	HARRIS CLOSEST PART NUMBER	PIN FOR PIN REPLACEMENT †
MN5921	HI3026A	H
MP87092	HI5805	H
MP8775	HI1175	H
MP8776	HI1175	H
MP8780	HI1175	H
MP8784A	HI5767/2	H
MP8785	HI1175	P
MP8786	HI1179	H
MP8790	HI5805	H
MP8791	HI5805	H
MT8816	CD22M3494	P
MV95101	HI1178	H
MV95308	HI3338	H
MV95338	HI1178	H
MV95408	HI1171	H
OPA644	HFA1100	H
OPA648	HFA1100	H
OPA658	HFA1100	P
SG3045	CA3045	H
SG3083	CA3083	H
SG3183	CA3183	P
SL3045	CA3045	H
SL3127	CA3127	H
SL3145	CA3045	P
SL3227	CA3227	P
SL3245	CA3246	P
SP94308	HI1175	H
SP973T8	HI1179	H
SP97506	HI3086	H
SP97508	HI3026	H
SP97608	HI1166	H
SPT1018B	HI5660	H
SPT1175	HI1175	P
SPT5100	HI1177	H
SPT5110	HI1178	H
SPT5220	HI5760	H
SPT5230	HI3050	H
SPT5520	HI5760	H
SPT7710	HI3026	H
SPT7725	HI1166	H

Cross Reference Guide

Signal Processing Communications Products Cross Reference (Continued)

COMPETITOR PART NUMBER	HARRIS CLOSEST PART NUMBER	PIN FOR PIN REPLACEMENT †
SPT7734	HI1179	H
SPT7750	HI1276	H
SPT7810	HI5767/2	H
SPT7814	HI5767/4	H
SPT7820	HI5767/2	H
SPT7824	HI5767/4	H
SPT7850	HI5767/2	H
SPT7852	HI5762	H
SPT7855	HI5767/4	H
SPT7860	HI5746	H
SPT7861	HI5746	H
SPT7863	HI5767/4CB	H
SPT7870	HI5767/6	H
SPT7871	HI5767/6	H
SPT7910	HI5808	H
SPT7920	HI5808	H
SPT7930	HI5808	H
SPT9713	HI5721	H
SSI22100	CD22100	P
SSI22101	CD22101	P
SSI22102	CD22102	P
SSI22301	CD22301	P
SSI75T204	CD22204	H
TDA8702	HI1171	H
TDA8703	HI5714/4	H
TDA8708A	HI1179	H
TDA8709A	HI1179	H
TDA8712	HI1171	H
TDA8713	HI5714/6	H
TDA8714	HI5714	P
TDA8715	HI5714/6	H
TDA8716TD	HI3026	H
TDA8718KA	HI1276	H
TDA8758	HI5662	H
TDA8760K/2A	HI5767	H
TDA8761	HI5746	H
TDA8762	HI5767	H
TDA8763	HI5767	H
TDA8766	HI5710A	H
TDA8771	HI1178	H

Signal Processing Communications Products Cross Reference (Continued)

COMPETITOR PART NUMBER	HARRIS CLOSEST PART NUMBER	PIN FOR PIN REPLACEMENT †
TDA8772	HI1178	H
TDA8775	HI3050	H
TDA8790	HI1179	H
TDA8794	HI5662	H
TDC1185	HI5767	H
TDC3310	HI5760/6	H
TDF8704	HI5714/6	H
TDF8712	HI1171	H
TLC5502	HI1175	H
TLC5503	HI1175	H
TLC5510	HI1175	P
TLC5540	HI1179	H
TLC5632	HI1178	H
TMC1175	HI1175	P
TMC1185	HI5767/4	H
TMC3003	HI3050	H
TMC3503	HI1178	H
TS83010	HI5767/2	H
TS83048	HI5714/6	H
TS83068	HI5714/6	H
TS83148	HI2302	H
TS8338	HI1179	H
TS83510	HI5767/6	H
TS8358	HI3026A	H
TS8378	HI3026A	H
ULN2046	CA3146	P
ULN2083	CA3083	P
ULN2083	CA3183	P
ULN2086	CA3086	P
UPA101	HFA3101	H
UPA102	HFA3102	H
UPA103	HFA3046	H
VP1058	HI1179	H
XRD6440	HI5767/4	H
XRD64L15	HI5710	H
XRD66L92	HI5805	H
XRD87L94	HI5805	H

† H = Harris Recommended P = Pin for Pin Replacement

Cross Reference Guide

HIN200/213 Interface Family - Competitor Cross Reference Guide

HARRIS P/N	PINS	PKG TYPE	ANALOG	MAXIM	SIPEX
HIN200CB	20	SOIC-W	-	MAX200CWP	SP200CT
HIN200IB	20	SOIC-W	-	MAX200EWP	SP200ET
HIN201CP	14	PDIP-N	-	MAX201CPD	-
HIN201CB	16	SOIC-W	-	MAX201CWE	-
HIN201IP	14	PDIP-N	-	MAX201EPD	-
HIN201IB	16	SOIC-W	-	MAX201EWE	-
HIN202ACA	16	SSOP	-	-	-
HIN202ACB	16	SOIC-W	ADM202JRW	-	-
HIN202ACBN	16	SOIC-N	ADM202JRN	-	-
HIN202ACP	16	PDIP-N	ADM202JN	-	-
HIN202CA	16	SSOP	-	-	-
HIN202CP	16	PDIP-N	ADM202JN	MAX202CPE	-
HIN202CB	16	SOIC-W	ADM202JRW	MAX202CWE	-
HIN202CBN	16	SOIC-N	-	MAX202CSE	-
HIN202IA	16	SSOP	-	-	-
HIN202IP	16	PDIP-N	-	MAX202EPE	-
HIN202IB	16	SOIC-W	-	MAX202EWE	-
HIN202IBN	16	SOIC-N	-	MAX202ESE	-
HIN202ECP	16	PDIP-N	-	MAX202ECPE	-
HIN202ECB	16	SOIC-W	-	MAX202ECWE	-
HIN202EIP	16	PDIP	ADM202EAN	MAX202EEPE	-
HIN202ECA	16	SSOP	-	-	-
HIN202EIA	16	SSOP	-	-	-
HIN202EIB	16	SOIC-W	ADM202EARW	MAX202EEWE	-
HIN202ECBN	16	SOIC-N	-	MAX202ECSE	-
HIN202EIBN	16	SOIC-N	ADM202EARN	MAX202EESE	-
HIN203ACB	20	SOIC-W	-	-	-
HIN203ACP	20	PDIP	ADM203JN	-	-
HIN203CB	20	SOIC-W	-	MAX203CWP	-
HIN203CP	20	PDIP	ADM203JN	MAX203CPP	-
HIN203ECP	20	PDIP	-	MAX203ECPP	-
HIN203ECB	20	SOIC-W	-	MAX203ECWP	-
HIN204CB	16	SOIC-W	-	MAX204CWE	SP204CT
HIN204IB	16	SOIC-W	-	MAX204EWE	SP204ET
HIN205ACP	24	PDIP	-	MAX205EPG	-
HIN205CP	24	PDIP	-	MAX205CPG	SP205CP
HIN205ECP	24	PDIP	-	MAX205ECPG	-
HIN206ACA	24	SSOP	-	MAX206EAG	-
HIN206ACB	24	SOIC-W	-	MAX206EWG	-

Cross Reference Guide

HIN200/213 Interface Family - Competitor Cross Reference Guide (Continued)

HARRIS P/N	PINS	PKG TYPE	ANALOG	MAXIM	SIPEX
HIN206ACP	24	PDIP	-	-	-
HIN206CP	24	PDIP-N	-	MAX206CNG	SP206CP
HIN206CB	24	SOIC-W	-	MAX206CWG	SP206CT
HIN206CA	24	SSOP	-	MAX206CAG	SP206CA
HIN206IP	24	PDIP-N	ADM206AN	MAX206ENG	SP206EP
HIN206IB	24	SOIC-W	ADM206AR	MAX206EWG	SP206ET
HIN206IA	24	SSOP	ADM206ARS	MAX206EAG	SP206EA
HIN206ECP	24	PDIP-N	-	MAX206ECNG	-
HIN206ECB	24	SOIC-W	-	MAX206ECWG	-
HIN206ECA	24	SSOP	-	MAX206ECAG	-
HIN206EIP	24	PDIP-N	-	MAX206EENG	-
HIN206EIB	24	SOIC-W	MAX206EEWG	-	-
HIN206EIA	24	SSOP	-	MAX206EEAG	-
HIN207ACA	24	SSOP	-	-	-
HIN207ACB	24	SOIC-W	-	-	-
HIN207ACP	24	PDIP	-	-	-
HIN207CP	24	PDIP-N	-	MAX207CNG	SP207CP
HIN207CB	24	SOIC-W	-	MAX207CWG	SP207CT
HIN207CA	24	SSOP	-	MAX207CAG	SP207CA
HIN207IP	24	PDIP-N	ADM207AN	MAX207ENG	SP207EP
HIN207IB	24	SOIC-W	ADM207AR	MAX207EWG	SP207ET
HIN207IA	24	SSOP	ADM207ARS	MAX207EAG	SP207EA
HIN207ECP	24	PDIP-N	-	MAX207ECNG	-
HIN207ECB	24	SOIC-W	-	MAX207ECWG	-
HIN207ECA	24	SSOP	-	MAX207ECAG	-
HIN207EIP	24	PDIP-N	ADM207EAN	MAX207EENG	-
HIN207EIB	24	SOIC-W	ADM207EAR	MAX207EEWG	-
HIN207EIA	24	SSOP	ADM207EARS	MAX207EEAG	-
HIN208ACA	24	SSOP	-	MAX208ECAG	-
HIN208ACB	24	SOIC-W	-	MAX208ECWG	-
HIN208ACP	24	PDIP-N	-	MAX208ECGN	-
HIN208CP	24	PDIP-N	-	MAX208CNG	SP208CP
HIN208CB	24	SOIC-W	-	MAX208CWG	SP208CT
HIN208CA	24	SSOP	-	MAX208CAG	SP208CA
HIN208IP	24	PDIP-N	ADM208AN	MAX208ENG	SP208EP
HIN208IB	24	SOIC-W	ADM208AR	MAX208EWG	SP208ET
HIN208IA	24	SSOP	ADM208ARS	MAX208EAG	SP208EA
HIN208ECP	24	PDIP-N	-	MAX208ECNG	-
HIN208ECB	24	SOIC-W	-	MAX208ECWG	-
HIN208ECA	24	SSOP	-	MAX208ECAG	-

Cross Reference Guide

HIN200/213 Interface Family - Competitor Cross Reference Guide (Continued)

HARRIS P/N	PINS	PKG TYPE	ANALOG	MAXIM	SIPEX
HIN208EIP	24	PDIP-N	ADM208EAN	MAX208EENG	-
HIN208EIB	24	SOIC-W	ADM208EAR	MAX208EEWG	-
HIN208EIA	24	SSOP	ADM208EARS	MAX208EEAG	-
HIN209CP	24	PDIP-N	-	MAX209CNG	-
HIN209CB	24	SOIC-W	-	MAX209CWG	-
HIN209IP	24	PDIP-N	ADM209AN	MAX209ENG	-
HIN209IB	24	SOIC-W	ADM209AR	MAX209EWG	-
HIN211ACA	28	SSOP	-	MAX211ECAI	-
HIN211ACB	28	SOIC-W	-	MAX211ECWI	-
HIN211CB	28	SOIC-W	-	MAX211CWI	SP211CT
HIN211CA	28	SSOP	-	MAX211CAI	SP211CA
HIN211IB	28	SOIC-W	ADM211AR	MAX211EWI	SP211ET
HIN211IA	28	SSOP	ADM211ARS	MAX211EAI	SP211EA
HIN211ECB	28	SOIC-W	-	MAX211ECWI	-
HIN211ECA	28	SSOP	-	MAX211ECAI	-
HIN211EIB	28	SOIC-W	ADM211EAR	MAX211EEWI	-
HIN211EIA	28	SSOP	ADM211EARS	MAX211EEAI	-
HIN213ACA	28	SSOP	-	MAX213ECAI	-
HIN213ACB	28	SOIC-W	-	MAX213ECWI	-
HIN213CB	28	SOIC-W	-	MAX213CWI	SP213CT
HIN213CA	28	SSOP	-	MAX213CAI	SP213CA
HIN213IB	28	SOIC-W	ADM213AR	MAX213EWI	SP213ET
HIN213IA	28	SSOP	ADM213ARS	MAX213EAI	SP213EA
HIN213ECB	28	SOIC-W	-	MAX213ECWI	-
HIN213ECA	28	SSOP	-	MAX213ECAI	-
HIN213EIB	28	SOIC-W	ADM213EAR	MAX213EEWI	-
HIN213EIA	28	SSOP	ADM213EARS	MAX213EEAI	-

HIN230/241 Interface Family - Competitor Cross Reference Guide

HARRIS P/N	PINS	PKG TYPE	ANALOG	MAXIM	SIPEX	NATIONAL	LTC
HIN230CB	20	SOIC-W	ADM230LJR	MAX230CWE	SP230ACT	-	-
HIN230IB	20	SOIC-W	ADM230LAR	MAX230EWE	SP230AET	-	-
HIN231CB	16	SOIC-W	ADM231LJR	MAX231CWE	SP231ACT	-	-
HIN231IB	16	SOIC-W	ADM231LAR	MAX231EWE	SP231AET	-	-
HIN232CP	16	PDIP	ADM232LJN	MAX232CPE	SP232ACP	DS14C232CN	LT1081CN
HIN232CB	16	SOIC-W	ADM232LJR	MAX232CWE	SP232ACT	DS14C232CWM	LT1081CS
HIN232CJ	16	CERDIP	-	-	-	-	-
HIN232ECA	16	SSOP	-	-	-	-	-
HIN232ECB	16	SOIC-W	-	MAX232ECWE	-	-	LT1781CSW

Cross Reference Guide

HIN230/241 Interface Family - Competitor Cross Reference Guide (Continued)

HARRIS P/N	PINS	PKG TYPE	ANALOG	MAXIM	SIPEX	NATIONAL	LTC
HIN232ECBN	16	SOIC-N	-	MAX232ECSE	-	-	LT1781CSW
HIN232ECP	16	PDIP	-	MAX232ECPE	-	-	LT1781CN
HIN232IP	16	PDIP	ADM232LAN	MAX232EPE	SP232AEP	DS14C232TN	LT1081IN
HIN232IB	16	SOIC-W	ADM232LAR	MAX232EWE	SP232AET	DS14C232TWM	LT1081IS
HIN232ACP	16	PDIP	ADM232AAN	MAX232ACPE	-	-	LT1281ACN
HIN232ACB	16	SOIC-W	ADM232AARW	MAX232ACWE	-	-	-
HIN232ACBN	16	SOIC-N	ADM232AARN	MAX232ACSE	-	-	-
HIN232ACA	16	SSOP	-	-	-	-	-
ICL232CBE	16	SOIC-W	ADM232LJR	MAX232CWE	SP232ACT	DS14C232CWM	LT1081CS
ICL232CPE	16	PDIP	ADM232LJN	MAX232CPE	SP232ACP	DS14C232CN	LT1081CN
HIN233CP	20	PDIP	ADM233LJN	MAX233CPP	SP233ACP	-	-
HIN233ACP	20	PDIP	-	MAX233ACPP	SP233ACP	-	-
HIN233ACB	20	SOIC-W	-	MAX233ACWP	-	-	-
HIN233ECB	20	SOIC-W	-	-	SP233ECT	-	-
HIN233ECP	20	PDIP	-	-	SP233ECP	-	-
HIN234CB	16	SOIC-W	ADM234LJR	MAX234CWE	SP234ACT	-	-
HIN234IB	16	SOIC-W	ADM234LAR	MAX234EWE	SP234AET	-	-
HIN235ACP	24	PDIP	-	-	-	-	-
HIN235CP	24	PDIP	ADM235LJN	MAX235CPG	SP235ACP	-	-
HIN235ECP	24	PDIP	-	-	-	-	-
HIN236ACP	24	PDIP	-	-	-	-	-
HIN236ACB	24	SOIC-W	-	-	-	-	-
HIN236CP	24	PDIP	ADM236LJN	MAX236CNG	SP236ACP	-	-
HIN236CB	24	SOIC-W	ADM236LJR	MAX236CWG	SP236ACT	-	-
HIN236ECA	24	SSOP	-	-	-	-	-
HIN236ECB	24	SOIC-W	-	-	-	-	-
HIN236ECP	24	PDIP	-	-	-	-	-
HIN236IP	24	PDIP	ADM236LAN	MAX236ENG	SP236AEP	-	-
HIN236IB	24	SOIC-W	ADM236LAR	MAX236EWG	SP236AET	-	-
HIN237ACB	24	SOIC-W	-	-	-	-	-
HIN237ACP	24	PDIP	-	-	-	-	-
HIN237CP	24	PDIP	ADM237LJN	MAX237CNG	SP237ACP	DS14C237N	-
HIN237CB	24	SOIC-W	ADM237LJR	MAX237CWG	SP237ACT	DS14C237WM	-
HIN237ECA	24	SSOP	-	-	-	-	-
HIN237ECB	24	SOIC-W	-	-	-	-	-
HIN237ECP	24	PDIP	-	-	-	-	-
HIN237IP	24	PDIP	ADM237LAN	MAX237ENG	SP237AEP	DS14C237TN	-

Cross Reference Guide

HIN230/241 Interface Family - Competitor Cross Reference Guide (Continued)

HARRIS P/N	PINS	PKG TYPE	ANALOG	MAXIM	SIPEX	NATIONAL	LTC
HIN237IB	24	SOIC-W	ADM237LAR	MAX237EWG	SP237AET	DS14C237TWM	-
HIN238ACA	24	SSOP	-	-	-	-	-
HIN238ACB	24	SOIC-W	-	-	-	-	-
HIN238ACP	24	PDIP	-	-	-	-	-
HIN238CP	24	PDIP	ADM238LJN	MAX238CNG	SP238ACP	DS14C238N	-
HIN238CB	24	SOIC-W	ADM238LJR	MAX238CWG	SP238ACT	DS14C238WM	-
HIN238ECA	24	SSOP	-	-	-	-	-
HIN238ECB	24	SOIC-W	-	-	-	-	-
HIN238ECP	24	PDIP	-	-	-	-	-
HIN238IP	24	PDIP	ADM238LAN	MAX238ENG	SP238AEP	DS14C238TN	-
HIN238IB	24	SOIC-W	ADM238LAR	MAX238EWG	SP238AET	DS14C238TWM	-
HIN239CB	24	SOIC-W	ADM239LJR	MAX239CWG	SP239ACT	DS14C239WM	-
HIN239CP	24	PDIP	-	-	-	-	-
HIN239IB	24	SOIC-W	ADM239LAR	MAX239EWG	SP239AET	DS14C239TWM	-
HIN239IP	24	PDIP	-	-	-	-	-
HIN240CN	44	MQFP	-	MAX240CMH	-	-	-
HIN240IN	44	MQFP	-	-	-	-	-
HIN241ACA	28	SSOP	-	MAX241ECAI	-	-	-
HIN241ACB	28	SOIC-W	-	MAX241ECWI	-	-	-
HIN241CB	28	SOIC-W	ADM241LJR	MAX241CWI	SP241ACT	DS14C241WM	-
HIN241ECA	28	SSOP	-	MAX241ECAI	-	-	-
HIN241ECB	28	SOIC-W	-	MAX241ECWI	-	-	-
HIN241IB	28	SOIC-W	ADM241LAR	MAX241EWI	SP241AET	DS14C241TWM	-
HIN241CA	28	SSOP	-	MAX241CAI	-	-	-
HIN241IA	28	SSOP	-	MAX241EAI	-	-	-

Line Receiver Interface - Competitor Cross-Reference Guide

HARRIS P/N	PINS	PKG TYPE	MOTOROLA	MAXIM	TI	NATIONAL	LTC
HIN14C89ECP	14	PDIP	MC1489P, AP	MAX1489ECPD	SN75189N, AN	DS14C89AN	-
HIN14C89ECBN	14	SOIC	MC1489D, AD	MAX1489ECSD	SN75189D, AD	DS14C89AM	-