

THYRISTOR INDEX

2N681-2N1601

TYPE	REPLACEMENT	PAGE NUMBER	I _f A	V _{FOM} /V _{ROM} V	T _J °C	I _{GT} mA	V _{GT} V
2N681		4-10	25	25	125	40	2.0
2N681A			28	25	125	40	2.0
2N682		4-10	25	50	125	40	2.0
2N682A			28	50	125	40	2.0
2N683		4-10	25	100	125	40	2.0
2N683A			28	100	125	40	2.0
2N684		4-10	25	150	125	40	2.0
2N684A			28	150	125	40	2.0
2N685		4-10	25	200	125	40	2.0
2N685A			28	200	125	40	2.0
2N686		4-10	25	250	125	40	2.0
2N686A			28	250	125	40	2.0
2N687		4-10	25	300	125	40	2.0
2N687A			28	300	125	40	2.0
2N688		4-10	25	400	125	40	2.0
2N688A			28	400	125	40	2.0
2N689		4-10	25	500	125	40	2.0
2N689A			28	500	125	40	2.0
2N690			25	600	125	40	2.0
2N690A			25	600	125	40	2.0
2N691			25	700	125	40	2.0
2N692			25	800	125	40	2.0
2N764*			0.39	30	125	1.0	1.0
2N765*			0.20	60	125	1.0	1.0
2N766*			0.20	100	125	1.0	1.0
2N767*			0.20	200	125	1.0	1.0
2N876			0.35	15	150	0.2	0.8
2N877			0.35	30	150	0.2	0.8
2N878			0.35	60	150	0.2	0.8
2N879			0.35	100	150	0.2	0.8
2N880			0.35	150	150	0.2	0.8
2N881			0.35	200	150	0.2	0.8
2N882			0.35	300	150	0.2	0.8
2N883			0.35	400	150	0.2	0.8
2N884			0.35	15	150	0.02	0.6
2N885			0.35	30	150	0.02	0.6
2N886			0.35	60	150	0.02	0.6
2N887			0.35	100	150	0.02	0.6
2N888			0.35	150	150	0.02	0.6
2N889			0.35	200	150	0.02	0.6
2N890			0.35	300	150	0.02	0.6
2N891			0.35	400	150	0.02	0.6
2N892*			0.250	15	125	0.05	0.70
2N893*			0.250	15	125	0.05	0.70
2N894*			0.250	30/15	125	0.05	0.70
2N895*			0.250	30/15	125	0.05	0.70
2N896*			0.250	60/15	125	0.05	0.70
2N897*			0.250	60/15	125	0.05	0.70
2N898*			0.250	100/15	125	0.05	0.70
2N899*			0.250	100/15	125	0.05	0.70
2N900*			0.250	200/15	125	0.05	0.70
2N901*			0.250	200/15	125	0.05	0.70
2N948			0.26	30	150	0.02	1.0
2N949			0.26	60	150	0.02	1.0
2N950			0.26	100	150	0.02	1.0
2N951			0.26	200	150	0.02	1.0
2N1595		4-13	1.6	50	125	10	3.0
2N1595A			1.6	50	150	2.0	2.0
2N1596		4-13	1.6	100	125	10	3.0
2N1596A			1.6	100	150	2.0	2.0
2N1597		4-13	1.6	200	125	10	3.0
2N1597A			1.6	200	150	2.0	2.0
2N1598		4-13	1.6	300	125	10	3.0
2N1598A			1.6	300	150	2.0	2.0
2N1599		4-13	1.6	400	125	10	3.0
2N1599A			1.6	400	150	2.0	2.0
2N1600	2N4168	4-26	4.0	50	125	10	3.0
2N1600A			4.0	50	125	4.5	3.0
2N1601	2N4169	4-26	4.0	100	125	10	3.0