

Fixed bridge - FB-150 METER - 0201595


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Cross connection rail, for fixed bridging of identical inputs and outputs, made of Cu, nickel-plated, 1 m long



Key Commercial Data

Packing unit	1 M
GTIN	 4 017918 098971
GTIN	4017918098971
Weight per Piece (excluding packing)	55.000 g
Custom tariff number	85369095
Country of origin	Germany

Technical data

Technical data

Color	silver
Material	Copper
Pitch	31 mm
Maximum load current	41 A

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Fixed bridge - FB-150 METER - 0201595

Classifications

eCl@ss

eCl@ss 10.0.1	27141190
eCl@ss 4.0	27141199
eCl@ss 4.1	27141199
eCl@ss 5.0	27141140
eCl@ss 5.1	27141100
eCl@ss 6.0	27141100
eCl@ss 7.0	27141190
eCl@ss 8.0	27141190
eCl@ss 9.0	27141190

ETIM

ETIM 2.0	EC000489
ETIM 3.0	EC000489
ETIM 4.0	EC000489
ETIM 5.0	EC002848
ETIM 6.0	EC002848
ETIM 7.0	EC002848

UNSPSC

UNSPSC 6.01	30211829
UNSPSC 7.0901	39121426
UNSPSC 11	39121426
UNSPSC 12.01	39121426
UNSPSC 13.2	39121410

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

Fixed bridge - FB-150 METER - 0201595

Approvals

EAC



EAC-Zulassung

Accessories

Accessories

Mounting material

Screw - ZSR - 2303608



Screw

Screw - ZS-6 - 0201605



Screw